

New door control

GEZE ActiveStop



Doors can do much more than you can imagine.

Enter your rooms more conveniently than ever before:

The GEZE Active**Stop** door damper can stop doors gently, close them quietly and keep them open with ease. It means slamming doors, trapped fingers and defects in walls or furniture are a thing of the past. Thanks to two different designs, the door damper can either be pre-installed or retrofitted with the greatest of ease. Using GEZE Active**Stop**, you can combine functionality, safety and aesthetics – and experience an entirely new door control.





Conforms to the most demanding design requirements: the integrated GEZE Active**Stop** for timber doors.



Extremely easy to install: the surface-mounted GEZE Active**Stop** for timber and glass doors.

GEZE ActiveStop

Three functions for greatly enhanced control and safety:





Find out about GEZE Active**Stop** online at: activestop.geze.com/en



Silent closing

Thanks to the active damping, the door closes slowly and completely silently. GEZE Active**Stop** not only prevents loud banging and irritating door damage, but also minimises the risk of injury.



Keeping open with ease

GEZE Active**Stop** keeps the door open to prevent it from slamming. Separate door stoppers are no longer needed. The holding position can be set individually using the adjustable opening angle.

Gentle stopping

Damaged walls or furniture behind doors are not only unsightly, but most of all unnecessary.

GEZE Active**Stop** brakes the swing upon opening and stops the door in the desired position.







Gentle stopping

With GEZE Active**Stop**, you will never again have to deal with annoying wall and furniture damage caused by doors. The intelligent damper brakes doors in time, even when opened with full swing. But it can do much more. Following the smooth braking, GEZE Active**Stop** opens the door independently and safely up to the individually adjustable holding position. This protects objects behind the door – even if sometimes your hands are full.




are full.





Keeping open with ease

When there is a strong draught during airing, doors quickly move and start slamming uncontrollably. GEZE Active**Stop** actively intervenes, keeping the doors open in the desired position without any aids. You can do without additional door stopper on the wall or on the floor – irrespective of how many windows are open.







Silent closing

Irritating slamming doors are a thing of the past. GEZE Active**Stop** ensures peace and quiet in the house. The active damping also brakes quickly shutting doors gently, and then pulls them closed silently. The slow closing not only reduces the noise level. It protects door leaves and frames, minimises the risk of injury – and makes family life more relaxed.





GEZE Active**Stop**

Greater comfort in your home.

Functional door damper without compromise.

CAN BE USED ANYWHERE

GEZE Active**Stop** can be used with timber or glass doors up to 45 kg, depending on the design. In other words, with practically all standard doors.

INDIVIDUALLY ADJUSTABLE

You can adjust how far your door should open and how strongly GEZE Active**Stop** should damp it on opening and closing as needed and based on your home situation.

RELIABLE OVER THE LONG TERM

GEZE Active**Stop** is the product of durable and long-lasting workmanship "Made in Germany". The door damper offers unlimited top quality with functionality, safety and aesthetic design.

O° Safe closing and convenient opening

GEZE Active**Stop** keeps the door closed. You can avoid lock latches and handles, and design your door freely. The door can be pushed open easily without a latch, even when your hands are full.

25°

Door damping and closing in closing direction

The closing door is gently braked from an angle of 25° and automatically pulled closed.











110°/140°

Free swing between 25° and 60°

60°

GEZE Active**Stop** allows your door free movement over this range. And regardless of how much swing the door has – the damping catches it reliably and safely from 25° or 60°.

Door damping and closing in opening direction

From an angle of 60°, the opening door is gently braked and automatically pulled open – up to the individually adjustable opening angle of max. 140° (110° for glass doors).

GEZE GmbH Reinhold-Vöster-Strasse 21–29 71229 Leonberg Germany

Telephone: +49 7152 203 0 Fax: +49 7152 203 310 Email: info.de@geze.com

activestop.geze.com/en

This brochure was presented to you by: